L Number	Hits	Search Text	DB	Time stamp
-	4812	stride	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 15:39
-	32	stride and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 17:14
-	6500	((load$3 near4 address$3) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1)) or stride	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 16:47
-	26547	load$3 with loop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 15:04
-	453	(insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 16:53
-	104194	load$3 with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 15:38
-	36589	(load$3) with instruction$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 15:38
-	40	((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)) with ((load$3) with instruction$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 17:17
-	31	(((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)) with ((load$3) with instruction$1)) and (load$3 with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 15:40
-	8	((((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)) with ((load$3) with instruction$1)) and (load$3 with memory)) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 15:40
	7	(((((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)) with ((load$3) with instruction$1)) and (load$3 with memory)) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)) and stride	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 15:41
-	43	5704053.URPN.	USPAT	2004/09/15 16:36
-	9	(((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)) with ((load$3) with instruction$1)) with (before or prior)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 16:42
-	89014	load$3 with (address$2 or location$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 16:46

-	9599	(load$3 with (address$2 or location$1)) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 17:01
-	1137	(compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with ((load$3 with (address$2 or location$1)) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 17:15
-	6	((compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with ((load$3 with (address$2 or location$1)) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1))) and (((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)) with ((load$3) with instruction$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 16:53
-	756	(compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with stride	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 17:02
-	1883	((compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with ((load$3 with (address$2 or location$1)) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1))) or ((compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with stride)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 17:02
-	19	(((compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with ((load$3 with (address$2 or location$1)) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1))) or ((compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with stride)) and (((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1)) with ((load$3) with instruction$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 17:02
-	2143	(compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with (stride$1 or (load$3 with (address$2 or location$1) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 17:17
-	48	(insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1) with load$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 17:18
-	19	((compute or computes or computing or computed or calculat$3 or determin$5 or measur$5) with (stride$1 or (load$3 with (address$2 or location$1) with (differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1)))) and ((insert$3 or add$3 or embed$4) with prefetch$3 with (instruction$1 or code$1 or command$1 or logic or algorithm$1 or rule$1) with load$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:52

-	1196	(differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1) with stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:06
-	397771	optimiz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:58
-	1468	(717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:58
-	861	((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss) and optimiz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:58
-	10	(((((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss) and optimiz$5) and ((frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) with stride$1)) and ((differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1) with stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 09:59
-	12	(((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss) and optimiz$5) and ((frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) with stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:18
-	6	prefetch$3 and (profil$3 with stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:24
-	28	profil$3 with stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:24
-	3	(profil$3 with stride$1) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:25
-	411	(probabilit$3 or frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) with stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:58
-	404	(frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) with stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:28
-	12	(((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss) and optimiz$5) and ((probabilit$3 or frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) with stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:35
-	10	(((((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss) and optimiz$5) and ((probabilit$3 or frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) with stride$1)) and ((differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1) with stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:35

-		218	(probabilities or frequenc$3 or repetition$1 or repeat$3 or occurrence or recurrence or $2iterations) with stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:00
-		120	((differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1) with stride$1) and ((probabilities or frequenc$3 or repetition$1 or repeat$3 or occurrence or recurrence or $2iterations) with stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:43
-		6	(((differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1) with stride$1) and ((probabilities or frequenc$3 or repetition$1 or repeat$3 or occurrence or recurrence or $2iterations) with stride$1)) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:43
-		19	((differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1) with stride$1) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:49
-		802	(differen$3 or discrepanc$3 or vari$5 or vary$3 or distan$2 or interval$1 or displacement$1) near5 stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:58
-		186	(probabilit$3 or frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) near3 stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:59
-		10	((probabilit$3 or frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) near3 stride$1) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 10:59
-		112	(probabilities or frequenc$3 or repetition$1 or repeat$3 or occurrence or recurrence or $2iterations) near3 stride$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:01
-		7	((probabilities or frequenc$3 or repetition$1 or repeat$3 or occurrence or recurrence or $2iterations) near3 stride$1) and (profil$3 with stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:01
-		339	stride$1 near3 (group$3 or list$3 or sequence$1 or series or continu$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:20
-		5	(stride$1 near3 (group$3 or list$3 or sequence$1 or series or continu$4)) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:19
-		111	stride$1 near3 (sequence$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:20
-		3	analyz$3 with (stride$1 near3 (sequence$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:21

-	44	(stride$1 near3 (sequence$1)) and optimiz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:21
-	8	((stride$1 near3 (sequence$1)) and optimiz$5) and ((probabilit$3 or frequenc$3 or repetition$1 or repeat$3 or occur$5 or recur$5 or $2iterat$3) near3 stride$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:34
-	2	("5377336" | "5748976").PN.	USPAT	2004/09/17 12:33
-	364	stride$1 near3 value$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:55
-	11	(alternate$1 or alternating or fluctuat$3 or vacillat$3 or vari$2 or vary$3 or oscillat$3) with (stride$1 near3 value$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:46
-	476	stride$1 near3 (value$1 or pattern$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:50
-	11	(alternate$1 or alternating or fluctuat$3 or vacillat$3 or vari$2 or vary$3 or oscillat$3) with ((alternate$1 or alternating or fluctuat$3 or vacillat$3 or vari$2 or vary$3 or oscillat$3) with (stride$1 near3 value$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:51
-	239	stride$1 with (zero$1 or "0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:49
-	550	stride$1 near3 (value$1 or pattern$1 or sequence$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:50
-	158	(stride$1 near3 (value$1 or pattern$1 or sequence$1)) and (stride$1 with (zero$1 or "0"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:54
-	2	((stride$1 near3 (value$1 or pattern$1 or sequence$1)) and (stride$1 with (zero$1 or "0"))) and ((alternate$1 or alternating or fluctuat$3 or vacillat$3 or vari$2 or vary$3 or oscillat$3) with (stride$1 near3 (value$1 or pattern$1 or sequence$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:53
-	14	(alternate$1 or alternating or fluctuat$3 or vacillat$3 or vari$2 or vary$3 or oscillat$3) with (stride$1 near3 (value$1 or pattern$1 or sequence$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:59
-	4	((stride$1 near3 (value$1 or pattern$1 or sequence$1)) and (stride$1 with (zero$1 or "0"))) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:54
-	2	((stride$1 near3 (value$1 or pattern$1 or sequence$1)) with (zero$1 or "0")) and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:57

-	82	(stride$1 near3 (value$1 or pattern$1 or sequence$1)) with (zero$1 or "0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 12:58
-	86	(differen$3 or alternate$1 or alternating or fluctuat$3 or vacillat$3 or vari$2 or vary$3 or oscillat$3) with (stride$1 near3 (value$1 or pattern$1 or sequence$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 13:00
-	25	((stride$1 near3 (value$1 or pattern$1 or sequence$1)) with (zero$1 or "0")) and ((differen$3 or alternate$1 or alternating or fluctuat$3 or vacillat$3 or vari$2 or vary$3 or oscillat$3) with (stride$1 near3 (value$1 or pattern$1 or sequence$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 13:12
-	40	(stride$1 near3 value$1) with "same"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 13:15
-	4	((stride$1 near3 value$1) with "same") and ((717/136 or 717/140 or 717/151 or 717/154 or 717/158).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 13:14
-	15	((stride$1 near3 value$1) with "same") and prefetch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 13:15